



AXA186
M3x16mm Set Screw **x8**



AXA1413
1x6x3mm Spacer **x2**




AXA1414
2x6x3mm Spacer **x2**



AXA1415
3x6x3mm Spacer **x2**

1




***Not included. Re-use these items from your XR10™ kit**




AXA186
M3x16mm Set Screw **x8**


2



***Not included. Re-use these items from your XR10™ kit**


3 Front

***Not included. Re-use these items from your XR10™ kit**

4 Rear


***Not included. Re-use these items from your XR10™ kit**

5 Front



*Not included. Re-use these items from your XR10™ kit

6 Rear



*Not included. Re-use these items from your XR10™ kit

AX30434-I001

YR10

SETUP SHEET

Name: _____


Date: _____

Event/Location: _____

TERRAIN CONDITIONS (check all that apply)

- ☐ Slickrock ☐ Granite ☐ Sandy ☐ Wet ☐ Snow
☐ Volcanic ☐ River Rock ☐ Red Rock ☐ Dusty ☐ Other: _____

RIDE HEIGHT



FRONT SHOCKS

Pre-Load: _____ mm

Pistons: ☐ ☐ ☐
 ☐ DELRIN ☐ ☐ ☐
 ☐ TOP ☐ D. E
 ☐ E. D

Length: _____ mm

Springs: _____

Oil: _____

REAR SHOCKS

Pre-Load: _____ mm

Pistons: ☐ ☐ ☐
 ☐ DELRIN ☐ ☐ ☐
 ☐ TOP ☐ D. E
 ☐ E. D

Length: _____ mm

Springs: _____

Oil: _____

FRONT LINKS

UPPER

Length: _____ mm

Option Part #'s: _____

LOWER

Length: _____ mm

Option Part #'s: _____

REAR LINKS

UPPER

Length: _____ mm


Option Part #'s: _____

LOWER


Length: _____ mm

Option Part #'s: _____

STOCK CHASSIS




OPTION CHASSIS AX30750



FRONT / REAR AXLES


Caster (Front Only)

Steering Knuckle (Front Only)



Toe Out:

Toe In:



TIRES/FOAMS/WEIGHT

Front Tire: _____

Front Foam: _____

Front Weight: _____ oz.

Rear Tire: _____

Rear Foam: _____

Rear Weight: _____ oz.

ELECTRONICS

Transmitter: _____

Steering Servo: _____

Option Servo: _____

Front Motor: _____

Rear Motor: _____

Battery: _____

ESC(s): _____

NOTES